

PENDANT LIGHTS

LEDOS
LIGHTING SOLUTIONS






01

BARREL LD-OSC245

The Barrel LED Pendant Light boasts a deep-embedded LED source complemented by cutting-edge Zero Glare optics, ensuring a glare-free and focused light beam. Its unique micro-reflector design meticulously optimizes the LED light, resulting in an elevated illuminance at the working plane. This luminaire is not merely a lighting fixture; it's a statement piece that adds a touch of sophistication to any environment.

Illuminate your space with zeal and professionalism as the Barrel LED Pendant Light becomes a focal point of style and functionality. Its remarkable utilization of lumen gross flow ensures an efficient and aesthetically pleasing lighting experience.

Beam Angle



Applications

- Office
- Residence
- Commercial Building
- Shopping Mall

System Efficacy (lm/W)


Upto 100lm/W

CRI

>80 & >90

CCT

3000K,4000K, 6000K



Sizes	2.5"	3.5"	4.5"
Wattage	6W	12W	20W
Lumen	600lm	1200lm	2000lm


Product Dimensions

2.5" - 6W - Ø 65x145mm

3.5" - 12W - Ø 90x156mm

4.5" - 20W - Ø 110x198mm

Product Impression



SDCM

<3

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

50,000hrs @ L70/B50

UGR

⁺ <15



02

STICK LD-LPL384

Introducing the Stick LED Pendant Light, a luminary that transcends the conventional boundaries of linear lighting, offering unparalleled compositional freedom for personalized interpretations. Suspended with grace, Stick LED is a testament to intelligent design, integrating miniaturized optics with cutting-edge technologies, elegant details, and exclusive materials. Its ultra-slim figure, measuring just 12.5mm, conceals a mystical ambiance through indirect beams, creating an unparalleled atmosphere that sets it apart from other luminaires.

This pendant light is not merely a source of illumination; it's an artistic expression that harmonizes technology with elegance, offering a lighting experience that captivates and transforms any space it adorns.



Beam Angle

Side Beam

Applications

- Office
- Residence

System Efficacy (lm/W)



Upto 100lm/W

CRI

>80

CCT

2700K, 3000K, 4000K, 6000K



Sizes	1100mm
Wattage	14W
Lumen	1400lm

Product Dimensions

Ø 12.5 x 1100mm

Product Impression



SDCM

<5

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

Indirect Light





03

BAR

LD-LPL363

Introducing the Bar LED Pendant Light, an avant-garde luminaire that transcends traditional notions of linear lighting, offering unparalleled compositional freedom for personalized interpretations. Suspended with elegance, Bar LED is a symphony of intelligent design, seamlessly integrating miniaturized optics with cutting-edge technologies, refined details, and exclusive materials.

Its ultra-slim profile, measuring a mere 16mm, conceals a touch of mystique through a downward beam on the surface, creating an atmospheric ambiance that sets it apart as a luminaire of unparalleled sophistication.

Beam Angle



120°
Wide

Applications

- Office
- Residence

System Efficacy (lm/W)




Upto 100lm/W

CRI

>80

CCT

2700K 3000K,4000K, 6000K




Sizes	1500mm
Wattage	18W
Lumen	1800lm

Product Dimensions

Ø 1500x16mm

Product Impression



SDCM

<3

Dimmable

No


Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

 <22



04

FEDORA LD-LPL706



Introducing the Fedora LED Pendant Light, a luminaire that transcends conventional lighting by seamlessly blending two aspects held together by a discreet slot. This innovative design aspires to craft a delicate line of shadow, achieving an overall sense of lightness. Fedora LED is born from the inspiration to employ a unique spatial relationship, showcasing Optical Crystal technology that transforms the perception of space into a dynamic canvas. The luminaire offers a direct downward emission, featuring a general lighting version equipped with UGR<19 optics and optimal luminous fluxes.

Beam Angle



24°
Middle

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

Upto 85lm/W

CRI

>80 & >90

CCT

2700K, 3000K, 4000K, 6000K



Sizes	100mm
Wattage	5W
Lumen	430lm

Product Dimensions

Ø 100 x 90mm

Product Impression



SDCM

<3

Dimmable

On/OFF

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

<19



05


BATON-RD LD-HL012



Introducing the Baton RD LED Pendant Light, a revolutionary luminaire designed to transform interiors with its slender stick-type elegance. Suspended with grace, this pendant light redefines task lighting with controlled glare, depositing a precise beam of light to accentuate specific details within the interior design. Its minimalistic and thin cylindrical body, with a mere 28 mm diameter, enhances the verticality of the space, creating an additional architectural line that seamlessly integrates with the surroundings.

The Baton RD goes beyond mere illumination; it serves as an almost imperceptible design element that avoids visual interference with the space.

Beam Angle



Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)


Upto 50lm/W

CRI

>80

CCT

2700K 3000K,4000K, 6000K



Sizes	28mm
Wattage	3W
Lumen	120lm

Product Dimensions

Ø 28x500mm

Product Impression



SDCM

<3

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

 <15



06

BATON-SQ LD-LPL045



Introducing the Baton SQ LED Pendant Light, a revolutionary luminaire designed to transform interiors with its slender stick-type elegance. Suspended with grace, this pendant light redefines task lighting with controlled glare, depositing a precise beam of light to accentuate specific details within the interior design. Its minimalistic and thin quadrilateral cylindrical body, with a mere 25x25mm size, enhances the verticality of the space, creating an additional architectural line that seamlessly integrates with the surroundings.

The Baton SQ goes beyond mere illumination; it serves as an almost imperceptible design element that avoids visual interference with the space.

Beam Angle



30°
Medium

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

Upto 50lm/W

CRI

>80

CCT

2700K, 3000K, 4000K, 6000K



Sizes	25x25mm
Wattage	3W
Lumen	120lm

Product Dimensions

Ø 25 x 25 x 350mm

Product Impression



SDCM

<3

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

 <19



07

SLENDER LD-LPL201



Introducing the Slender LED Pendant Light, a revolutionary luminaire designed to transform interiors with its slender stick-type elegance. Suspended with grace, this pendant light redefines task lighting with controlled glare, depositing a precise beam of light to accentuate specific details within the interior design. Its minimalistic and ULTRA thin quadrilateral cylindrical body, with a mere 16mm diameter, enhances the verticality of the space, creating an additional architectural line that seamlessly integrates with the surroundings.

The Slender LED goes beyond mere illumination; it serves as an almost imperceptible design element that avoids visual interference with the space.

Beam Angle



30°
Medium

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)




Upto 70lm/W

CRI

>80

CCT

2700K 3000K,4000K, 6000K



Sizes	16mm
Wattage	1W
Lumen	70lm

Product Dimensions

Ø16 x 1100mm

Product Impression



SDCM

<3

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

👁️⁺ <15



08

ORB

LD-LPL353/4

Introducing the Orb LED Pendant Light, a luminaire that encapsulates timeless elegance in its suspended orb-shaped design. This classic unshielded pendant light stands as a testament to enduring style and relevance, maintaining its topicality over the decades. A staple in both indoor and outdoor luminaire ranges, the Orb LED embodies a perfect fusion of tradition and modernity.

The Orb LED casts a downward diffused beam on surfaces, creating an ambiance that is both gentle and welcoming. Its unshielded light ensures a high degree of uniformity, while providing excellent visual comfort in diverse spaces such as arcades, galleries, and passageways.



Beam Angle

Diffused

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

Upto 100lm/W

CRI

>80 & >90

CCT

2700K, 3000K, 4000K, 6000K



Sizes	19mm	115mm
Wattage	4W	6W
Lumen	400lm	600lm

Product Dimensions


90mm - 4W - Ø 90 x 90mm

115mm - 6W - Ø 115 x 115mm

Product Impression



19mm



115mm

SDCM

<3

Dimmable

On/Off

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

 <19





09

HEXA GU10 LD-LPL356

Introducing the Hexa GU10 Pendant Light, a luminaire that transcends the conventional to become a masterpiece of minimalist and rational design. Suspended in hexagonal shapes, Hexa GU10 allows for an ambitious range of composition possibilities, unveiling itself as a sculptural piece of artistic brilliance when combined in either an ordered or anarchic manner. This luminary is not just a source of illumination; it is a canvas for creativity and a symbol of modern sophistication.

Hexa GU10 offers a downward soft beam spread on surfaces, creating an ambiance that seamlessly merges with contemporary interior design projects.

Beam Angle

As Per Lamp

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

As Per Lamp

CCT

As Per Lamp


Product Dimensions

Ø 90mm



Sizes	90mm
Wattage	As Per Lamp
Lumen	As Per Lamp

Product Impression



SDCM

As Per Lamp

Dimmable

As Per Lamp

Material

Aluminium + PC

Lamp Lumen Lifetime

As Per Lamp

UGR


As Per Lamp



10

SKY DRUM

LD-LPL335



Introducing the Sky Drum LED Pendant Light, a luminaire that redefines ceiling lighting with its grandeur and adaptability. Suspended in captivating drum shapes both up and down, Sky Drum is more than just a lighting fixture; it's a statement of versatility and modern design. With the flexibility to hang at any desired height, this large-sized ceiling luminaire offers a substantial luminous flux, ensuring it seamlessly adapts to the spatial needs of any application or situation.

The design of Sky Drum is a visual delight, expressed in a surrounding slightly curved circular strip that adds a touch of contemporary elegance to any space. Its direct and indirect diffused beam spread creates a perfect and homogeneous light diffusion, coupled with the alluring illusion of a natural skylight.

Beam Angle

Indirect/Up - Diffused/Down

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

Upto 100lm/W

CRI

>80 & >90

CCT

2700K, 3000K, 4000K, 6000K




Sizes	220mm
Wattage	20W (10W Up/10W Down)
Lumen	2000lm (1000lm Up/ 1000lm Down)

Product Dimensions

Ø 220 x 50mm

Product Impression



SDCM

<3

Dimmable

No

Material

Stainless Steel+ PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

👁️+ <19





11

TUREEN LD-LPL298/9

Introducing the Tureen LED Pendant Light, a luminaire that transcends conventional lighting, crafting spaces with its conical, classic silhouette. Suspended with elegance, Tureen LED is more than just a lighting fixture; it's an artful expression that seamlessly blends technical precision with decorative allure.

The Tureen LED luminaire dresses light with finesse, projecting a placid and homogeneous beam that transforms any space it graces. This conical masterpiece creates an inviting ambiance, encouraging an appreciation for the interplay of light and form. The language of Tureen LED is a harmonious balance between technical sophistication and timeless aesthetics, making it an ideal choice for those who seek both functionality and artistic expression in their lighting solutions.

Beam Angle

Diffused

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

Upto 100lm/W

CRI

>80 & >90

CCT

2700K 3000K,4000K, 6000K




Sizes	250mm	310mm
Wattage	10W	18W
Lumen	1000lm	1800lm

Product Dimensions


250mm - 10W - Ø 250 x 153mm

310mm - 18W - Ø 310 x 213mm

Product Impression



250mm



310mm

SDCM

<3

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

 ⁺ <19

IP20



12

PRIME E27

LD-LPL313



Introducing the Prime E27 Lamp Pendant Light, a luminaire that seamlessly blends high-performance functionality with the aesthetics of a unique decorative piece. Suspended in a sleek dome shape, Prime E27 is more than just a lighting fixture; it's a perfect synthesis of design and cutting-edge technology. Resembling a high bay light fitting, this pendant light transcends traditional lighting solutions, offering a distinctive presence in any space.

Prime E27 goes beyond the ordinary by integrating the driver and heat dissipation seamlessly into its design. This innovative approach not only ensures excellent thermal management but also grants the freedom to hang the fixture at any desired height, providing a customized lighting experience for any setting.

Beam Angle

As Per Lamp

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

As Per Lamp

CCT

As Per Lamp



Sizes	230mm -290mm - 300mm
Wattage	As Per Lamp
Lumen	As Per Lamp

Product Dimensions

230mm - Ø 230 x 280mm


290mm - Ø 290 x 310mm

300mm - Ø 300 x 235mm


Product Impression



230mm



290mm



300mm

SDCM

As Per Lamp

Dimmable

As Per Lamp

Material

Aluminum+ PC

Lifetime

As Per Lamp

UGR

As Per Lamp





13

HAVEN

LD-LPL298/9

Introducing the Haven LED Pendant Light, a luminaire that transcends traditional lighting profiles with its innovative design and exclusive form. Suspended in an inverted round truncated shape, Haven LED is not just a lighting fixture; it's a testament to spirited angles, graceful refinement, and bevels that collectively create a unique and sophisticated silhouette. Breaking away from the conventional rectangular shapes of profiles, Haven LED is a symbol of modernity and minimalist elegance.

The truncated round geometry of Haven LED is purposefully designed to optimize light output, ensuring both efficiency and aesthetics. This luminaire goes beyond the ordinary by featuring separate downward and upward beam spread technologies, allowing for a customized play of light in any setting.

Beam Angle

Indirect

Applications

- Office
- Residence
- Retail Outlets

System Efficacy (lm/W)

Upto 100lm/W

CRI

>80 & >90

CCT

2700K 3000K,4000K, 6000K




Sizes	1300mm
Wattage	17W
Lumen	1700lm

Product Dimensions

Ø 1300mm

Product Impression



SDCM

<3

Dimmable

No

Material

Aluminium + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

👁️⁺ <19





LEDOS

LIGHTING SOLUTIONS

Redefining Lighting



+92 42 35847561 | +92 42 35847562



Office#410, 4th Floor, Al-Qader Heights,
New Garden Town Lahore, Pakistan



info@ledoslighting.com