

TRACK LIGHTS

LEDOS
LIGHTING SOLUTIONS



01




LINEAR BLADE TR

Tracklight

Introducing the LinearBlade TR LED Tracklight, a revolutionary lighting solution that redefines versatility, comfort, and efficiency. With its cell-based design and deep-embedded light source, LinearBlade TR is a beacon of sophistication, boasting the latest in Zero Glare Technology for an unparalleled anti-glare experience. This Main Voltage track solution is not just lightweight and minimal; it sets a new standard for adaptability, effortlessly rotating 360° in the vertical plane and sliding along the track with ease for seamless adjustments to evolving layouts and visual requirements.

While perfect for enhancing various indoor spaces, LinearBlade TR finds its essential purpose in retail outlets, where visual comfort meets high CRI options. This attention to color accuracy ensures true-to-life visualizations, enriching both the ambiance and the products on display.

Beam Angle



Applications

- Merchandise Display
- Commercial Building
- Shopping Mall
- Lobby & Corridor
- Retail Outlets

System Efficacy (lm/W)


Upto 100 lm/W

CRI

>80 & >90

CCT

3000K, 4000K, 6000K



| Sizes | 5 Cell | 10 Cell | 15 Cell |
|---------|--------|---------|---------|
| Wattage | 10W | 20W | 30W |
| Lumen | 980lm | 1980lm | 2980lm |

Cut-out Dimensions

5 Cell - 10W - Ø 135 x 33 x 55mm

10 Cell - 20W - Ø 265 x 33 x 55mm

15 Cell - 30W - Ø 400 x 33 x 55mm

SDCM

<3 steps

Dimmable

ON/OFF , 1-10V

Material

PC

Product Impression

5 Cell

10 Cell

15 Cell

Lamp Lumen Lifetime

50,000hrs @ L70/B50

UGR

<12



02




MANILA SPOT

Track

Introducing the ManilaSpot Track LED Tracklight, a beacon of innovation and style designed to elevate the ambiance of retail and outlet environments. Imbued with the latest Less Glare Technology, this spotlight is tailored for two-phase track applications, offering unparalleled versatility and visual comfort. Available in three distinct versions (Ø60, Ø80, and Ø90), ManilaSpot Track boasts cylindrical geometry and essential forms, setting a new standard for minimalistic aesthetics without compromising functionality. Its standout feature lies in its ability to be oriented in any direction, providing dynamic illumination tailored to unique spatial requirements.

ManilaSpot Track transcends ordinary tracklights with its sleek design and black perimeter around its mouth and accessories, emphasizing the AGA - AntiGlare Accent.

Beam Angle



Applications

- Merchandise Display
- Commercial Building
- Shopping Mall
- Lobby & Corridor
- Retail Outlets

System Efficacy (lm/W)

>90 lm/W

CRI

>90

CCT

2700K , 3000K , 3500K , 4000K
4500K , 5000K , 5500K , 6000K
6500K



| Sizes | 60mm | 70mm | 80mm | 90mm |
|---------|--------|--------|--------|--------|
| Wattage | 20W | 30W | 40W | 40W |
| Lumen | 1800lm | 2700lm | 3600lm | 3600lm |

Cut-out Dimensions

- 60mm - 20W - Ø 60 x 156mm
- 70mm - 30W - Ø 70 x 165mm
- 80mm - 40W - Ø 80 x 176mm
- 90mm - 40W - Ø 90 x 200mm

SDCM

<3

Dimmable

ON/OFF , 0-10V

Material

Aluminum + PC


Lamp Lumen Lifetime

50,000hrs @ L70/B50

UGR

<19

Product Impression



03



EASYCOMFO

Tracklight

Introducing the EasyComfo Track LED Tracklight, a pinnacle of sophistication and functionality that redefines track applications with its revolutionary Uniform Soft Flood Emission technology. This luminaire transcends traditional lighting solutions, standing out with its optical lightness and elegant design. Crafted in the form of a sleek disk, the EasyComfo Track encases an innovative combination of reflector and light guidance, setting a new benchmark for compactness and minimalism.

EasyComfo Track goes beyond ordinary tracklights, boasting a soft light spread that transforms any space into an oasis of ambient illumination. The joint action of its innovative components directs the light beam with unparalleled uniformity over minimal distances, allowing for a uniquely compact and minimalist design.

Beam Angle



100°
Wide

Applications

- Merchandise Display
- Studio
- Podcast Lighting
- Camera Capturing Scenes
- Retail Outlets

System Efficacy (lm/W)

>90 lm/W

CRI

>80 & >90

CCT

3000K, 4000K, 6000K



| Sizes | 250mm | 250mm | 330mm | 450mm |
|---------|--------|--------|--------|--------|
| Wattage | 16W | 24W | 36W | 50W |
| Lumen | 1440lm | 2160lm | 3240lm | 4500lm |

Cut-out Dimensions


250mm - 16W - Ø 250 x 120mm

250mm - 24W - Ø 250 x 120mm

330mm - 36W - Ø 330 x 130mm

450mm - 50W - Ø 450 x 50mm

Product Impression



SDCM

<3

Dimmable

ON/OFF , 1-10V

Material

Aluminum + PC

Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

⁺<19

IP20



04



SILHOUETTE

Track

Introducing the Silhouette Track LED Tracklight, a masterpiece collection that transcends the ordinary to illuminate works of art with unparalleled precision and narrative finesse. Redefining the essence of lighting, these fixtures prioritize not just technical efficiency but also the storytelling aspect of artistic displays. Silhouette Track goes beyond being a mere light source; it stands as a testament to professional optics, providing high-quality, adjustable illumination with an elegant and non-invasive design.

Silhouette Track doesn't just illuminate artworks; it transforms them into celestial entities, akin to actors taking the stage. This luminaire is a symphony of technology and aesthetics, harmonizing functionality with a sophisticated design that respects and elevates the artistic narrative. With Adjustable Beam Shape technology, Silhouette Track offers a dynamic and customizable lighting experience, allowing you to curate the ambiance around your artworks.


Beam Angle

Shapeable Beam
(Square, Round)




System Efficacy (lm/W)

Upto 80 lm/W



CRI

>70, >80 & >90



CCT

3000K ,4000K, 6000K

| Sizes | 10mm | 20mm | 30mm |
|---------|-------|--------|--------|
| Wattage | 10W | 20W | 30W |
| Lumen | 800lm | 1600lm | 2400lm |

Cut-out Dimensions

38mm - 10W - Ø 38 x 69mm
76mm - 20W - Ø 76 x 307mm
76mm - 30W - Ø 76 x 307mm

SDCM

<3 steps

Dimmable

ON/OFF , 1-10V

Material

Aluminum + PC


Lamp Lumen Lifetime

30,000hrs @ L70/B50

UGR

👁️⁺ No Glare

Product Impression



IP20





LEDOS

LIGHTING SOLUTIONS

Redefining Lighting



+92 42 35847561 | +92 42 35847562



Office#410, 4th Floor, Al-Qader Heights,
New Garden Town Lahore, Pakistan



info@ledoslighting.com